Ranvet Pty Ltd

Chemwatch: 4797-03

Version No: 6.1 Safety Data Sheet according to Work Health and Safety Regulations (Hazardous Chemicals) 2023 and ADG requirements Chemwatch Hazard Alert Code: 2

Issue Date: **12/23/2022** Print Date: **08/08/2024** L.GHS.AUS.EN.E

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier Product name Ranvet's Salt Lick - Iodised Chemical Name Not Applicable Synonyms Not Available Chemical formula Not Applicable Other means of identification Not Available

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Weather resistant lodised Salt Lick with trace elements suitable for both stable & paddock. Each block is 99% salt with 100mg lodine plus
Relevant Identified uses	Zn, Fe, Cu, Mn, Co, Vit E and Biotin.

Details of the manufacturer or supplier of the safety data sheet

Registered company name	Ranvet Pty Ltd
Address	10-12 Green Street Banksmeadow NSW 2019 Australia
Telephone	+61 2 9666 1744
Fax	+61 2 9666 1755
Website	https://www.ranvet.com.au/other_msds.htm
Email	info@ranvet.com.au

Emergency telephone number

Association / Organisation	Ranvet Pty Ltd
Emergency telephone numbers	+61 417 580 980
Other emergency telephone numbers	Not Available

SECTION 2 Hazards identification

Classification of the substance or mixture

HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

Chemwatch Hazard Ratings

	Min	Max	
Flammability	0		
Toxicity	1		0 = Minimum
Body Contact	2		1 = Low
Reactivity	0		2 = Moderate
Chronic	0		3 = High 4 = Extreme

H319

H335

Causes serious eye irritation.

May cause respiratory irritation.

Poisons Schedule	Not Applicable
Classification ^[1]	Skin Corrosion/Irritation Category 2, Serious Eye Damage/Eye Irritation Category 2A, Specific Target Organ Toxicity - Single Exposure (Respiratory Tract Irritation) Category 3
Legend:	1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI

Label elements

Hazard pictogram(s)	
Signal word	Warning
Hazard statement(s)	
H315	Causes skin irritation.

Precautionary statement(s) Prevention

P271	Use only outdoors or in a well-ventilated area.	
P261	Avoid breathing dust/fumes.	
P280	Wear protective gloves, protective clothing, eye protection and face protection.	
P264	Wash all exposed external body areas thoroughly after handling.	

Precautionary statement(s) Response

recould only statement(s) response		
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P312	Call a POISON CENTER/doctor/physician/first aider/if you feel unwell.	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P302+P352	IF ON SKIN: Wash with plenty of water.	
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P332+P313	If skin irritation occurs: Get medical advice/attention.	
P362+P364	Take off contaminated clothing and wash it before reuse.	

Precautionary statement(s) Storage

P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.

Precautionary statement(s) Disposal

Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

SECTION 3 Composition / information on ingredients

P501

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
Not Available	<100	sodium salt
Not Available		vitamins & minerals, as
7553-56-2		iodine
7440-66-6		zinc
7439-89-6		iron
7440-50-8		copper
7439-96-5		manganese
7440-48-4		cobalt
Not Available		Vitamin E
58-85-5		biotin
Legend:	Legend: 1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. Classification drawn from C&L * EU IOELVs available	

SECTION 4 First aid measures

Description of first aid measures

Eye Contact	 If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Seek medical attention without delay; if pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. 	
Skin Contact	 In case of cold burns (frost-bite): Move casualty into warmth before thawing the affected part; if feet are affected carry if possible Bathe the affected area immediately in luke-warm water (not more than 35 deg C) for 10 to 15 minutes, immersing if possible and without rubbing DO NOT apply hot water or radiant heat. Apply a clean, dry, light dressing of "fluffed-up" dry gauze bandage If a limb is involved, raise and support this to reduce swelling If an adult is involved and where intense pain occurs provide pain killers such as paracetomol Transport to hospital, or doctor Subsequent blackening of the exposed tissue indicates potential of necrosis, which may require amputation. 	
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary. 	
Ingestion	 Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. 	

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

Extinguishing media

- There is no restriction on the type of extinguisher which may be used.
 Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

Fire Incompatibility	None known.	
Advice for firefighters		
Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. 	
Fire/Explosion Hazard	 Non combustible. Not considered a significant fire risk, however containers may burn. Decomposition may produce toxic fumes of: hydrogen chloride metal oxides May emit poisonous fumes. May emit corrosive fumes. 	
HAZCHEM	Not Applicable	

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	 Clean up all spills immediately. Avoid breathing dust and contact with skin and eyes. Wear protective clothing, gloves, safety glasses and dust respirator. Use dry clean up procedures and avoid generating dust. Sweep up, shovel up or Vacuum up (consider explosion-proof machines designed to be grounded during storage and use). Place spilled material in clean, dry, sealable, labelled container.
Major Spills	 Moderate hazard. CAUTION: Advise personnel in area. Alert Emergency Services and tell them location and nature of hazard. Control personal contact by wearing protective clothing. Prevent, by any means available, spillage from entering drains or water courses. Recover product wherever possible. IF DRY: Use dry clean up procedures and avoid generating dust. Collect residues and place in sealed plastic bags or other containers for disposal. ALWAYS: Wash area down with large amounts of water and prevent runoff into drains. If contamination of drains or waterways occurs, advise Emergency Services.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling Safe handling	 Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Prevent concentration in hollows and sumps. DO NOT enter confined spaces until atmosphere has been checked. DO NOT allow material to contact humans, exposed food or food utensils. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling. Work clothes should be laundered separately. Launder contaminated clothing before re-use. Use good occupational work practice. Observe manufacturer's storage and handling recommendations contained within this SDS. Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions are maintained.
Other information	 Store in original containers. Keep containers securely sealed. Store in a cool, dry area protected from environmental extremes. Store away from incompatible materials and foodstuff containers. Protect containers against physical damage and check regularly for leaks. Observe manufacturer's storage and handling recommendations contained within this SDS. For major quantities:
	Continued

Consider storage in bunded areas - ensure storage areas are isolated from sources of community water (including stormwater, ground water, lakes and streams}.

- Ensure that accidental discharge to air or water is the subject of a contingency disaster management plan; this may require consultation with local authorities.

Conditions for safe storage, including any incompatibilities

Suitable container	 Polyethylene or polypropylene container. Check all containers are clearly labelled and free from leaks.
Storage incompatibility	 Metals and their oxides or salts may react violently with chlorine trifluoride and bromine trifluoride. These trifluorides are hypergolic oxidisers. They ignite on contact (without external source of heat or ignition) with recognised fuels - contact with these materials, following an ambient or slightly elevated temperature, is often violent and may produce ignition. The state of subdivision may affect the results. Food grade materials must be protected from all possible contaminants

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Australia Exposure Standards	iodine	lodine	Not Available	Not Available	0.1 ppm / 1 mg/m3	Not Available
Australia Exposure Standards	copper	Copper (fume)	0.2 mg/m3	Not Available	Not Available	Not Available
Australia Exposure Standards	copper	Copper, dusts & mists (as Cu)	1 mg/m3	Not Available	Not Available	Not Available
Australia Exposure Standards	manganese	Manganese, fume (as Mn)	1 mg/m3	3 mg/m3	Not Available	Not Available
Australia Exposure Standards	cobalt	Cobalt, metal dust & fume (as Co)	0.05 mg/m3	Not Available	Not Available	Not Available

Emergency Limits

Ingredient	TEEL-1	TEEL-2		TEEL-3	
iodine	Not Available	Not Available		Not Available	
zinc	6 mg/m3	21 mg/m3		120 mg/m3	
iron	3.2 mg/m3	35 mg/m3		150 mg/m3	
copper	3 mg/m3	33 mg/m3		200 mg/m3	
manganese	3 mg/m3	5 mg/m3		1,800 mg/m3	
cobalt	0.18 mg/m3	2 mg/m3		20 mg/m3	
Ingredient	Original IDLH		Revised IDLH		
iodine	2 ppm	2 ppm		Not Available	
zinc	Not Available	Not Available		Not Available	
iron	Not Available	Not Available		Not Available	
copper	100 mg/m3	100 mg/m3		Not Available	
manganese	500 mg/m3	500 mg/m3		Not Available	
cobalt	20 mg/m3	20 mg/m3		Not Available	
biotin	Not Available		Not Available	Not Available	

MATERIAL DATA

It is the goal of the ACGIH (and other Agencies) to recommend TLVs (or their equivalent) for all substances for which there is evidence of health effects at airborne concentrations encountered in the workplace.

At this time no TLV has been established, even though this material may produce adverse health effects (as evidenced in animal experiments or clinical experience). Airborne concentrations must be maintained as low as is practically possible and occupational exposure must be kept to a minimum.

NOTE: The ACGIH occupational exposure standard for Particles Not Otherwise Specified (P.N.O.S) does NOT apply.

Sensory irritants are chemicals that produce temporary and undesirable side-effects on the eyes, nose or throat. Historically occupational exposure standards for these irritants have been based on observation of workers' responses to various airborne concentrations. Present day expectations require that nearly every individual should be protected against even minor sensory irritation and exposure standards are established using uncertainty factors or safety factors of 5 to 10 or more. On occasion animal no-observableeffect-levels (NOEL) are used to determine these limits where human results are unavailable. An additional approach, typically used by the TLV committee (USA) in determining respiratory standards for this group of chemicals, has been to assign ceiling values (TLV C) to rapidly acting irritants and to assign short-term exposure limits (TLV STELs) when the weight of evidence from irritation, bioaccumulation and other endpoints combine to warrant such a limit. In contrast the MAK Commission (Germany) uses a five-category system based on intensive odour, local irritation, and elimination half-life. However this system is being replaced to be consistent with the European Union (EU) Scientific Committee for Occupational Exposure Limits (SCOEL); this is more closely allied to that of the USA. OSHA (USA) concluded that exposure to sensory irritants can:

cause inflammation

cause increased susceptibility to other irritants and infectious agents

lead to permanent injury or dysfunction

permit greater absorption of hazardous substances and

acclimate the worker to the irritant warning properties of these substances thus increasing the risk of overexposure.

Exposure controls

Appropriate engineering	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls
controls	can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.
	The basic types of engineering controls are:
	Process controls which involve changing the way a job activity or process is done to reduce the risk.
	Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that
	strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The
	design of a ventilation system must match the particular process and chemical or contaminant in use.
	Employers may need to use multiple types of controls to prevent employee overexposure.

Air Speed

Ranvet's Salt Lick - Iodised

Local exhaust ventilation is required where solids are handled as powders or crystals; even when particulates are relatively large, a certain proportion will be powdered by mutual friction.

If in spite of local exhaust an adverse concentration of the substance in air could occur, respiratory protection should be considered. Such protection might consist of:

(a): particle dust respirators, if necessary, combined with an absorption cartridge;

(b): filter respirators with absorption cartridge or canister of the right type;

(c): fresh-air hoods or masks.

Air contaminants generated in the workplace possess varying "escape" velocities which, in turn, determine the "capture velocities" of fresh circulating air required to effectively remove the contaminant.

Type of Contaminant

Type of containing the	/ in opecai
direct spray, spray painting in shallow booths, drum filling, conveyer loading, crusher dusts, gas discharge (active generation into zone of rapid air motion)	1-2.5 m/s (200-500 f/min.)
grinding, abrasive blasting, tumbling, high speed wheel generated dusts (released at high initial velocity into zone of very high rapid air motion).	2.5-10 m/s (500-2000 f/min.)

Within each range the appropriate value depends on:

Lower end of the range	Upper end of the range
1: Room air currents minimal or favourable to capture	1: Disturbing room air currents
2: Contaminants of low toxicity or of nuisance value only.	2: Contaminants of high toxicity
3: Intermittent, low production.	3: High production, heavy use
4: Large bood or large air mass in motion	4: Small bood-local control only

Simple theory shows that air velocity falls rapidly with distance away from the opening of a simple extraction pipe. Velocity generally decreases with the square of distance from the extraction point (in simple cases). Therefore the air speed at the extraction point should be adjusted, accordingly, after reference to distance from the contaminating source. The air velocity at the extraction fan, for example, should be a minimum of 4-10 m/s (800-2000 f/min) for extraction of crusher dusts generated 2 metres distant from the extraction point. Other mechanical considerations, producing performance deficits within the extraction apparatus, make it essential that theoretical air velocities are multiplied by factors of 10 or more when extraction systems are installed or used.

Individual protection measures, such as personal protective equipment

Eye and face protection



Safety glasses with side shields

Chemical goggles. [AS/NZS 1337.1, EN166 or national equivalent]

Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59].

Skin protection See Hand protection below Hands/feet protection The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice.

Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturiser is recommended.

Suitability and durability of glove type is dependent on usage. Important factors in the selection of gloves include:

- frequency and duration of contact, · chemical resistance of glove material,
- · glove thickness and

dexterity

Select gloves tested to a relevant standard (e.g. Europe EN 374, US F739, AS/NZS 2161.1 or national equivalent).

· When prolonged or frequently repeated contact may occur, a glove with a protection class of 5 or higher (breakthrough time greater than 240 minutes according to EN 374, AS/NZS 2161.10.1 or national equivalent) is recommended.

· When only brief contact is expected, a glove with a protection class of 3 or higher (breakthrough time greater than 60 minutes according to EN 374, AS/NZS 2161.10.1 or national equivalent) is recommended.

Some glove polymer types are less affected by movement and this should be taken into account when considering gloves for long-term use.

- Contaminated gloves should be replaced.
 As defined in ASTM F-739-96 in any application, gloves are rated as:
- · Excellent when breakthrough time > 480 min
- · Good when breakthrough time > 20 min
- · Fair when breakthrough time < 20 min
- · Poor when glove material degrades

For general applications, gloves with a thickness typically greater than 0.35 mm, are recommended.

It should be emphasised that glove thickness is not necessarily a good predictor of glove resistance to a specific chemical, as the permeation efficiency of the glove will be dependent on the exact composition of the glove material. Therefore, glove selection should also be based on consideration of the task requirements and knowledge of breakthrough times.

Glove thickness may also vary depending on the glove manufacturer, the glove type and the glove model. Therefore, the manufacturers technical data should always be taken into account to ensure selection of the most appropriate glove for the task.

Note: Depending on the activity being conducted, gloves of varying thickness may be required for specific tasks. For example: Thinner gloves (down to 0.1 mm or less) may be required where a high degree of manual dexterity is needed. However, these gloves are

only likely to give short duration protection and would normally be just for single use applications, then disposed of. Thicker gloves (up to 3 mm or more) may be required where there is a mechanical (as well as a chemical) risk i.e. where there is abrasion

or puncture potential Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed

moisturiser is recommended. Experience indicates that the following polymers are suitable as glove materials for protection against undissolved, dry solids, where

abrasive particles are not present.

- polychloroprene.
- nitrile rubber.
- butvl rubber.
- fluorocaoutchouc

	 polyvinyl chloride. Gloves should be examined for wear and/ or degradation constantly.
Body protection	See Other protection below
Other protection	 Overalls. P.V.C apron. Barrier cream. Skin cleansing cream. Eye wash unit.

Recommended material(s)

GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:

"Forsberg Clothing Performance Index".

The effect(s) of the following substance(s) are taken into account in the *computer-generated* selection:

Ranvet's Salt Lick - Iodised

Material	CPI
NATURAL RUBBER	А
NATURAL+NEOPRENE	А
NITRILE	A

* CPI - Chemwatch Performance Index

A: Best Selection

B: Satisfactory; may degrade after 4 hours continuous immersion

C: Poor to Dangerous Choice for other than short term immersion

NOTE: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation. -

* Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

Ansell Glove Selection

Glove — In order of recommendation
AlphaTec® 15-554
AlphaTec® Solvex® 37-185
AlphaTec® 38-612
AlphaTec® 58-530B
MICROFLEX® 63-864
MICROFLEX® 73-847
MICROFLEX® 93-244
MICROFLEX® 93-252
MICROFLEX® 93-853
MICROFLEX® 93-833

The suggested gloves for use should be confirmed with the glove supplier.

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Respiratory protection

Type B-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Where the concentration of gas/particulates in the breathing zone, approaches or exceeds the "Exposure Standard" (or ES), respiratory protection is required. Degree of protection varies with both face-piece and Class of filter; the nature of protection varies with Type of filter.

Required Minimum Protection Factor	Half-Face Respirator	Full-Face Respirator	Powered Air Respirator
up to 10 x ES	B-AUS P2	-	B-PAPR-AUS / Class 1 P2
up to 50 x ES	-	B-AUS / Class 1 P2	-
up to 100 x ES	-	B-2 P2	B-PAPR-2 P2 ^

^ - Full-face

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

Respirators may be necessary when engineering and administrative controls do not
adequately prevent exposures.

 The decision to use respiratory protection should be based on professional judgment that takes into account toxicity information, exposure measurement data, and frequency and likelihood of the worker's exposure - ensure users are not subject to high thermal loads which may result in heat stress or distress due to personal protective equipment (powered, positive flow, full face apparatus may be an option).
 Published occupational exposure limits, where they exist, will assist in determining the adequacy of the selected respiratory protection. These may be government mandated or vendor recommended.

 Certified respirators will be useful for protecting workers from inhalation of particulates when properly selected and fit tested as part of a complete respiratory protection program.

• Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU)

Use approved positive flow mask if significant quantities of dust becomes airborne.
 Try to avoid creating dust conditions.

Appearance	Light brown coloured block solid; mixes with water.		
Physical state	Solid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	Not Applicable	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Applicable	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Applicable
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Negligible
Vapour pressure (kPa)	Negligible	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	Not Applicable
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 Toxicological information

Information on toxicological effects

Inhaled	Not normally a hazard due to non-volatile nature of product Limited evidence or practical experience suggests that the material may produce irritation of the respiratory system, in a significant number of individuals, following inhalation. In contrast to most organs, the lung is able to respond to a chemical insult by first removing or neutralising the irritant and then repairing the damage. The repair process, which initially evolved to protect mammalian lungs from foreign matter and antigens, may however, produce further lung damage resulting in the impairment of gas exchange, the primary function of the lungs. Respiratory tract irritation often results in an inflammatory response involving the recruitment and activation of many cell types, mainly derived from the vascular system. Persons with impaired respiratory function, airway diseases and conditions such as emphysema or chronic bronchitis, may incur further disability if excessive concentrations of particulate are inhaled. If prior damage to the circulatory or nervous systems has occurred or if kidney damage has been sustained, proper screenings should be conducted on individuals who may be exposed to further risk if handling and use of the material result in excessive exposures.		
Ingestion	The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence. The material may still be damaging to the health of the individual, following ingestion, especially where pre-existing organ (e.g liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally based on doses producing mortality rather than those producing morbidity (disease, ill-health). Gastrointestinal tract discomfort may produce nausea and vomiting. In an occupational setting however, ingestion of insignificant quantities is not thought to be cause for concern. Use in food and as food additive, indicates high degree of tolerance		
Skin Contact	 The material may produce mild skin irritation; limited evidence or practical experience suggests, that the material either: produces mild inflammation of the skin in a substantial number of individuals following direct contact, and/or produces significant, but mild, inflammation when applied to the healthy intact skin of animals (for up to four hours), such inflammation being present twenty-four hours or more after the end of the exposure period. Skin irritation may also be present after prolonged or repeated exposure; this may result in a form of contact dermatitis (non allergic). The dermatitis is often characterised by skin redness (erythema) and swelling (oedema) which may progress to blistering (vesiculation), scaling and thickening of the epidermis. At the microscopic level there may be intercellular oedema of the spongy layer of the skin (spongiosis) and intracellular oedema of interiated skin should not be exposed to this material Contact with cuts, abraded skin is painful, but this is transient Entry into the blood-stream through, for example, cuts, abrasions, puncture wounds or lesions, may produce systemic injury with harmful 		
		asions, puncture wounds or lesions, may produce systemic injury with harmful	
Eye	Entry into the blood-stream through, for example, cuts, abu effects. Examine the skin prior to the use of the material ar Limited evidence or practical experience suggests, that the and/or may produce significant ocular lesions which are pr animals. Repeated or prolonged exposure may cause mod	asions, puncture wounds or lesions, may produce systemic injury with harmful	
Eye Chronic	Entry into the blood-stream through, for example, cuts, abu effects. Examine the skin prior to the use of the material are Limited evidence or practical experience suggests, that the and/or may produce significant ocular lesions which are pr animals. Repeated or prolonged exposure may cause moo the conjunctiva (conjunctivitis); temporary impairment of vi	asions, puncture wounds or lesions, may produce systemic injury with harmful id ensure that any external damage is suitably protected. material may cause moderate eye irritation in a substantial number of individuals esent twenty-four hours or more after instillation into the eye(s) of experimental erate inflammation (similar to windburn) characterised by a temporary redness of	
	Entry into the blood-stream through, for example, cuts, abu effects. Examine the skin prior to the use of the material ar Limited evidence or practical experience suggests, that the and/or may produce significant ocular lesions which are pr animals. Repeated or prolonged exposure may cause moo the conjunctiva (conjunctivitis); temporary impairment of vi Limited evidence suggests that repeated or long-term occu	asions, puncture wounds or lesions, may produce systemic injury with harmful id ensure that any external damage is suitably protected. material may cause moderate eye irritation in a substantial number of individuals esent twenty-four hours or more after instillation into the eye(s) of experimental erate inflammation (similar to windburn) characterised by a temporary redness of sion and/or other transient eye damage/ulceration may occur.	
	Entry into the blood-stream through, for example, cuts, abu effects. Examine the skin prior to the use of the material ar Limited evidence or practical experience suggests, that the and/or may produce significant ocular lesions which are pr animals. Repeated or prolonged exposure may cause moo the conjunctiva (conjunctivitis); temporary impairment of vi Limited evidence suggests that repeated or long-term occu biochemical systems.	asions, puncture wounds or lesions, may produce systemic injury with harmful id ensure that any external damage is suitably protected. In material may cause moderate eye irritation in a substantial number of individuals esent twenty-four hours or more after instillation into the eye(s) of experimental erate inflammation (similar to windburn) characterised by a temporary redness of sion and/or other transient eye damage/ulceration may occur. Ipational exposure may produce cumulative health effects involving organs or	
Chronic	Entry into the blood-stream through, for example, cuts, abreffects. Examine the skin prior to the use of the material and Limited evidence or practical experience suggests, that the and/or may produce significant ocular lesions which are pranimals. Repeated or prolonged exposure may cause moot the conjunctiva (conjunctivitis); temporary impairment of vi Limited evidence suggests that repeated or long-term occubiochemical systems.	asions, puncture wounds or lesions, may produce systemic injury with harmful densure that any external damage is suitably protected. material may cause moderate eye irritation in a substantial number of individuals esent twenty-four hours or more after instillation into the eye(s) of experimental erate inflammation (similar to windburn) characterised by a temporary redness of sion and/or other transient eye damage/ulceration may occur. pational exposure may produce cumulative health effects involving organs or IRRITATION	
Chronic Ranvet's Salt Lick - lodised	Entry into the blood-stream through, for example, cuts, abreffects. Examine the skin prior to the use of the material and Limited evidence or practical experience suggests, that the and/or may produce significant ocular lesions which are pranimals. Repeated or prolonged exposure may cause moot the conjunctiva (conjunctivitis); temporary impairment of vi Limited evidence suggests that repeated or long-term occubiochemical systems.	asions, puncture wounds or lesions, may produce systemic injury with harmful densure that any external damage is suitably protected. The material may cause moderate eye irritation in a substantial number of individuals estent twenty-four hours or more after instillation into the eye(s) of experimental erate inflammation (similar to windburn) characterised by a temporary redness of sion and/or other transient eye damage/ulceration may occur. The approximation and the end of the en	
Chronic	Entry into the blood-stream through, for example, cuts, abreffects. Examine the skin prior to the use of the material are Limited evidence or practical experience suggests, that the and/or may produce significant ocular lesions which are pranimals. Repeated or prolonged exposure may cause more the conjunctiva (conjunctivitis); temporary impairment of vi Limited evidence suggests that repeated or long-term occubiochemical systems. TOXICITY Not Available	asions, puncture wounds or lesions, may produce systemic injury with harmful d ensure that any external damage is suitably protected. The material may cause moderate eye irritation in a substantial number of individuals assent twenty-four hours or more after instillation into the eye(s) of experimental lerate inflammation (similar to windburn) characterised by a temporary redness of sion and/or other transient eye damage/ulceration may occur. Ipational exposure may produce cumulative health effects involving organs or IRRITATION Not Available IRRITATION	
Chronic Ranvet's Salt Lick - lodised	Entry into the blood-stream through, for example, cuts, abreffects. Examine the skin prior to the use of the material are Limited evidence or practical experience suggests, that the and/or may produce significant ocular lesions which are pranimals. Repeated or prolonged exposure may cause more the conjunctiva (conjunctivitis); temporary impairment of viclimited evidence suggests that repeated or long-term occubiochemical systems. TOXICITY Not Available TOXICITY Dermal (rabbit) LD50: 1425 mg/kg ^[1]	asions, puncture wounds or lesions, may produce systemic injury with harmful densure that any external damage is suitably protected. The material may cause moderate eye irritation in a substantial number of individuals assent twenty-four hours or more after instillation into the eye(s) of experimental erate inflammation (similar to windburn) characterised by a temporary redness of sion and/or other transient eye damage/ulceration may occur. Ipational exposure may produce cumulative health effects involving organs or IRRITATION Not Available IRRITATION Eye: adverse effect observed (irritating) ^[1]	
Chronic Ranvet's Salt Lick - lodised	Entry into the blood-stream through, for example, cuts, abreffects. Examine the skin prior to the use of the material are ffects. Examine the skin prior to the use of the material are and/or may produce significant ocular lesions which are pranimals. Repeated or prolonged exposure may cause more the conjunctiva (conjunctivitis); temporary impairment of vit Limited evidence suggests that repeated or long-term occubiochemical systems. TOXICITY Not Available TOXICITY Dermal (rabbit) LD50: 1425 mg/kg ^[1] Inhalation (Rat) LC50: >4.588 mg/l4h ^[1]	asions, puncture wounds or lesions, may produce systemic injury with harmful densure that any external damage is suitably protected. The material may cause moderate eye irritation in a substantial number of individuals assent twenty-four hours or more after instillation into the eye(s) of experimental erate inflammation (similar to windburn) characterised by a temporary redness of sion and/or other transient eye damage/ulceration may occur. Ipational exposure may produce cumulative health effects involving organs or IRRITATION Not Available IRRITATION Eye: adverse effect observed (irritating) ^[1]	
Chronic Ranvet's Salt Lick - lodised	Entry into the blood-stream through, for example, cuts, abreffects. Examine the skin prior to the use of the material and Limited evidence or practical experience suggests, that the and/or may produce significant ocular lesions which are pranimals. Repeated or prolonged exposure may cause more the conjunctiva (conjunctivitis); temporary impairment of vi Limited evidence suggests that repeated or long-term occubiochemical systems. TOXICITY Not Available TOXICITY Dermal (rabbit) LD50: 1425 mg/kg ^[1] Inhalation (Rat) LC50: >4.588 mg/l4h ^[1] Oral (Human) LD50: 30 mg/kg ^[2]	asions, puncture wounds or lesions, may produce systemic injury with harmful d ensure that any external damage is suitably protected. material may cause moderate eye irritation in a substantial number of individuals assent twenty-four hours or more after instillation into the eye(s) of experimental lerate inflammation (similar to windburn) characterised by a temporary redness of sion and/or other transient eye damage/ulceration may occur. pational exposure may produce cumulative health effects involving organs or IRRITATION Not Available Eye: adverse effect observed (irritating) ^[1] Skin: adverse effect observed (irritating) ^[1]	
Chronic Ranvet's Salt Lick - lodised iodine	Entry into the blood-stream through, for example, cuts, abreffects. Examine the skin prior to the use of the material and Limited evidence or practical experience suggests, that the and/or may produce significant ocular lesions which are pranimals. Repeated or prolonged exposure may cause more the conjunctiva (conjunctivitis); temporary impairment of villimited evidence suggests that repeated or long-term occubiochemical systems. TOXICITY Not Available TOXICITY Dermal (rabbit) LD50: 1425 mg/kg ^[1] Inhalation (Rat) LC50: >4.588 mg/l4h ^[1] Oral (Human) LD50: 30 mg/kg ^[2]	asions, puncture wounds or lesions, may produce systemic injury with harmful densure that any external damage is suitably protected. In material may cause moderate eye irritation in a substantial number of individuals assent twenty-four hours or more after instillation into the eye(s) of experimental erate inflammation (similar to windburn) characterised by a temporary redness of sion and/or other transient eye damage/ulceration may occur. Ipational exposure may produce cumulative health effects involving organs or IRRITATION Not Available IRRITATION Eye: adverse effect observed (irritating) ^[1] Skin: adverse effect observed (irritating) ^[1]	
Chronic Ranvet's Salt Lick - lodised iodine	Entry into the blood-stream through, for example, cuts, abreffects. Examine the skin prior to the use of the material are ffects. Examine the skin prior to the use of the material are free to be and/or may produce significant ocular lesions which are pranimals. Repeated or prolonged exposure may cause mode the conjunctiva (conjunctivitis); temporary impairment of victimited evidence suggests that repeated or long-term occubic biochemical systems. TOXICITY Not Available TOXICITY Dermal (rabbit) LD50: 1425 mg/kg ^[1] Inhalation (Rat) LC50: >4.588 mg/l4h ^[1] Oral (Human) LD50: 30 mg/kg ^[2] TOXICITY Dermal (rabbit) LD50: 1130 mg/kg ^[2]	asions, puncture wounds or lesions, may produce systemic injury with harmful densure that any external damage is suitably protected. The material may cause moderate eye irritation in a substantial number of individuals assent twenty-four hours or more after instillation into the eye(s) of experimental erate inflammation (similar to windburn) characterised by a temporary redness of sion and/or other transient eye damage/ulceration may occur. Ipational exposure may produce cumulative health effects involving organs or IRRITATION Not Available IRRITATION Eye: adverse effect observed (irritating) ^[1] Skin: adverse effect observed (irritating) ^[1] IRRITATION Eye: no adverse effect observed (not irritating) ^[1]	
Chronic Ranvet's Salt Lick - lodised iodine	Entry into the blood-stream through, for example, cuts, abreffects. Examine the skin prior to the use of the material and Limited evidence or practical experience suggests, that the and/or may produce significant ocular lesions which are pranimals. Repeated or prolonged exposure may cause modified evidence suggests that repeated or long-term occubicchemical systems. TOXICITY Not Available TOXICITY Dermal (rabbit) LD50: 1425 mg/kg ^[1] Inhalation (Rat) LC50: >4.588 mg/l4h ^[1] Oral (Human) LD50: 30 mg/kg ^[2] TOXICITY Dermal (rabbit) LD50: 1130 mg/kg ^[2]	asions, puncture wounds or lesions, may produce systemic injury with harmful densure that any external damage is suitably protected. The material may cause moderate eye irritation in a substantial number of individuals assent twenty-four hours or more after instillation into the eye(s) of experimental erate inflammation (similar to windburn) characterised by a temporary redness of sion and/or other transient eye damage/ulceration may occur. Ipational exposure may produce cumulative health effects involving organs or IRRITATION Not Available IRRITATION Eye: adverse effect observed (irritating) ^[1] Skin: adverse effect observed (irritating) ^[1] IRRITATION Eye: no adverse effect observed (not irritating) ^[1] Skin: no adverse effect observed (not irritating) ^[1]	
Chronic Ranvet's Salt Lick - lodised iodine zinc	Entry into the blood-stream through, for example, cuts, abreffects. Examine the skin prior to the use of the material and Limited evidence or practical experience suggests, that the and/or may produce significant ocular lesions which are pranimals. Repeated or prolonged exposure may cause more the conjunctiva (conjunctivitis); temporary impairment of vibiochemical systems. TOXICITY Not Available TOXICITY Dermal (rabbit) LD50: 1425 mg/kg ^[1] Inhalation (Rat) LC50: >4.588 mg/l4h ^[1] Oral (Human) LD50: 30 mg/kg ^[2] TOXICITY Dermal (rabbit) LD50: 1130 mg/kg ^[2] Oral (Rat) LD50: >2000 mg/kg ^[1]	asions, puncture wounds or lesions, may produce systemic injury with harmful densure that any external damage is suitably protected. The material may cause moderate eye irritation in a substantial number of individuals assent twenty-four hours or more after instillation into the eye(s) of experimental erate inflammation (similar to windburn) characterised by a temporary redness of sion and/or other transient eye damage/ulceration may occur. Ipational exposure may produce cumulative health effects involving organs or IRRITATION Not Available IRRITATION Eye: adverse effect observed (irritating) ^[1] Skin: adverse effect observed (irritating) ^[1] IRRITATION Eye: no adverse effect observed (not irritating) ^[1] Skin: no adverse effect observed (not irritating) ^[1] IRRITATION Eye: no adverse effect observed (not irritating) ^[1] IRRITATION IRRITATION	
Chronic Ranvet's Salt Lick - lodised iodine zinc	Entry into the blood-stream through, for example, cuts, abreffects. Examine the skin prior to the use of the material and Limited evidence or practical experience suggests, that the and/or may produce significant ocular lesions which are pranimals. Repeated or prolonged exposure may cause more the conjunctiva (conjunctivitis); temporary impairment of vibiochemical systems. TOXICITY Not Available TOXICITY Dermal (rabbit) LD50: 1425 mg/kg ^[1] Inhalation (Rat) LC50: >4.588 mg/l4h ^[1] Oral (Human) LD50: 30 mg/kg ^[2] TOXICITY Dermal (rabbit) LD50: 1130 mg/kg ^[2] Oral (Rat) LD50: >2000 mg/kg ^[1]	asions, puncture wounds or lesions, may produce systemic injury with harmful densure that any external damage is suitably protected. The material may cause moderate eye irritation in a substantial number of individuals assent twenty-four hours or more after instillation into the eye(s) of experimental erate inflammation (similar to windburn) characterised by a temporary redness of sion and/or other transient eye damage/ulceration may occur. pational exposure may produce cumulative health effects involving organs or IRRITATION Not Available IRRITATION Eye: adverse effect observed (irritating) ^[1] Skin: adverse effect observed (irritating) ^[1] Kin: adverse effect observed (irritating) ^[1] Kin: no adverse effect observed (not irritating) ^[1] Kin: no adverse effect observed (not irritating) ^[1] Eye: no adverse effect observed (not irritating) ^[1]	
Chronic Ranvet's Salt Lick - lodised iodine zinc iron	Entry into the blood-stream through, for example, cuts, abreffects. Examine the skin prior to the use of the material and limited evidence or practical experience suggests, that the and/or may produce significant ocular lesions which are pranimals. Repeated or prolonged exposure may cause mode the conjunctiva (conjunctivitis); temporary impairment of villimited evidence suggests that repeated or long-term occubicchemical systems. TOXICITY Not Available TOXICITY Dermal (rabbit) LD50: 1425 mg/kg ^[1] Inhalation (Rat) LC50: >4.588 mg/l4h ^[1] Oral (Human) LD50: 30 mg/kg ^[2] TOXICITY Dermal (rabbit) LD50: 1130 mg/kg ^[2] Oral (Rat) LD50: >2000 mg/kg ^[1] TOXICITY	asions, puncture wounds or lesions, may produce systemic injury with harmful d ensure that any external damage is suitably protected. a material may cause moderate eye irritation in a substantial number of individuals aseent twenty-four hours or more after instillation into the eye(s) of experimental erate inflammation (similar to windburn) characterised by a temporary redness of sion and/or other transient eye damage/ulceration may occur. pational exposure may produce cumulative health effects involving organs or IRRITATION Not Available IRRITATION Eye: adverse effect observed (irritating) ^[1] Skin: adverse effect observed (irritating) ^[1] Eye: no adverse effect observed (not irritating) ^[1] Kin: no adverse effect observed (not irritating) ^[1] Kin: no adverse effect observed (not irritating) ^[1] Skin: no adverse effect observed (not irritating) ^[1] Skin: no adverse effect observed (not irritating) ^[1] Kin: no adverse effect observed (not irritating) ^[1] Skin: no adverse effect observed (not irritating) ^[1]	
Chronic Ranvet's Salt Lick - lodised iodine zinc	Entry into the blood-stream through, for example, cuts, abreffects. Examine the skin prior to the use of the material and Limited evidence or practical experience suggests, that the and/or may produce significant ocular lesions which are pranimals. Repeated or prolonged exposure may cause modified evidence suggests that repeated or long-term occubicchemical systems. TOXICITY Not Available TOXICITY Dermal (rabbit) LD50: 1425 mg/kg ^[1] Inhalation (Rat) LC50: >4.588 mg/l4h ^[1] Oral (Human) LD50: 30 mg/kg ^[2] TOXICITY Dermal (rabbit) LD50: 1130 mg/kg ^[2] Oral (Rat) LD50: >2000 mg/kg ^[1] TOXICITY Oral (Rat) LD50: 98600 mg/kg ^[2] TOXICITY	asions, puncture wounds or lesions, may produce systemic injury with harmful densure that any external damage is suitably protected. The material may cause moderate eye irritation in a substantial number of individuals assent twenty-four hours or more after instillation into the eye(s) of experimental erate inflammation (similar to windburn) characterised by a temporary redness of sion and/or other transient eye damage/ulceration may occur. Ipational exposure may produce cumulative health effects involving organs or IRRITATION Not Available IRRITATION Eye: adverse effect observed (irritating) ^[1] Skin: adverse effect observed (irritating) ^[1] Skin: no adverse effect observed (irritating) ^[1] Skin: no adverse effect observed (not irritating) ^[1] Kin: no adverse effect observed (not irritating) ^[1]	

	ΤΟΧΙCITY	IRRITATION	
	Inhalation (Rat) LC50: >5.14 mg/l4h ^[1]	Eye (rabbit): 500 mg/24h - mild	
manganese	Oral (Rat) LD50: >2000 mg/kg ^[1]	Eye: no adverse effect observed (not irritating) ^[1]	
		Skin (rabbit): 500 mg/24h - mild	
		Skin: no adverse effect observed (not irritating) ^[1]	
	ΤΟΧΙΟΙΤΥ	IRRITATION	
	dermal (rat) LD50: >2000 mg/kg ^[1]	Eye: adverse effect observed (irritating) ^[1]	
cobalt	Inhalation (Rat) LC50: <=0.05 mg/l4h ^[1]	Skin: no adverse effect observed (not irritating) ^[1]	
	Oral (Rat) LD50: ~550 mg/kg ^[1]		
	ΤΟΧΙΟΙΤΥ	IRRITATION	
biotin	Not Available	Not Available	
Legend:	 Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwis specified data extracted from RTECS - Register of Toxic Effect of chemical Substances 		
IODINE	6.5. Cells from the respiratory tract have not been examidirect exposure to inhaled acidic mists, just as mucous p hydrochloric acid. In considering whether pH itself induce with the human stomach, in which gastric juice may be a in which the pH of urine can range from <5 to > 7 and no in vitro in that, in vivo, only a portion of the cell surface is homeostasis may be maintained more readily than in vitr. The material may produce moderate eye irritation leadin conjunctivitis. Asthma-like symptoms may continue for months or even condition known as reactive airways dysfunction syndror compound. Main criteria for diagnosing RADS include th of persistent asthma-like symptoms within minutes to hor include a reversible airflow pattern on lung function tests and the lack of minimal lymphocytic inflammation, withou disorder with rates related to the concentration of and du is a disorder that occurs as a result of exposure due to hneversible after exposure ceases. The disorder is charace The material may produce respiratory tract irritation. Sym of breath, headache, nausea, and a burning sensation. Unlike most organs, the lung can respond to a chemical repairing the damage (inflammation of the lungs may be The repair process (which initially developed to protect in damage to the lungs. Therefore prolonged expose The material may cause skin irritation after prolonged or the sum of the lungs. Therefore prolonged or the sum of the lungs. The related to the long of the sum of the lungs. The related to the long sense of the lungs.	g to inflammation. Repeated or prolonged exposure to irritants may produce a years after exposure to the material ends. This may be due to a non-allergic me (RADS) which can occur after exposure to high levels of highly irritating the absence of previous airways disease in a non-atopic individual, with sudden ons urs of a documented exposure to the irritant. Other criteria for diagnosis of RADS s, moderate to severe bronchial hyperreactivity on methacholine challenge testing, te eosinophilia. RADS (or asthma) following an irritating inhalation is an infrequent aration of exposure to the irritating substance. On the other hand, industrial bronchi ligh concentrations of irritating substance (often particles) and is completely terized by difficulty breathing, cough and mucus production. Inptoms of pulmonary irritation may include coughing, wheezing, laryngitis, shortner insult or a chemical agent, by first removing or neutralising the irritant and then a consequence). Inammalian lungs from foreign matter and antigens) may, however, cause further ed by hazardous chemicals. Often, this results in an impairment of gas exchange, t sure to respiratory irritants may cause sustained breathing difficulties. Irrepeated exposure and may produce a contact dermatitis (nonallergic). This form ma) and swelling the epidermis. Histologically there may be intercellular oedema o	
COPPER	Symptoms are tiredness, influenza like respiratory tract i for copper and its compounds (typically copper chloride) Acute toxicity: There are no reliable acute oral toxicity i male rats and 5 groups of 5 female rats received doses values of copper monochloride were 2,000 mg/kg bw or died at both 1500 and 2000 mg/kg bw, and one at 1,000 formation of scar and reddish changes were observed on noted. In addition, a reddish or black urine was observed sensitive than male based on mortality and clinical signs No reliable skin/eye irritation studies were available. The cause skin irritation. Repeat dose toxicity: In repeated dose toxicity study pp (gavage) to Sprague-Dawley rats for 30 days to males at bw/day. The NOAEL value was 5 and 1.3 mg/kg bw/day treatment-related death was observed in female rats in tt 80 mg/kg bw/day. The frequency of squamous cell hyper female rats at all treatment groups, and was statistically mg/kg bw/day doses. The observed effects are consider (gavage) administration of copper monochloride. Genotoxicity: An in vitro genotoxicity study with copper Salmonella typhimurium strains (TA 98, TA 100, TA 1535 in vitro test for chromosome aberration in Chinese hams numerical aberrations at the concentration of 50, 70 and significant increases of structural aberrations were obser observed at 70 ug/mL. In an in vivo mammalian erythroc	: results available. In an acute dermal toxicity study (OECD TG 402), one group of 5 of 1000, 1500 and 2000 mg/kg bw via dermal application for 24 hours. The LD50 greater for male (no deaths observed) and 1,224 mg/kg bw for female. Four female mg/kg bw. Symptom of the hardness of skin, an exudation of hardness site, the n application sites in all treated animals. Skin inflammation and injury were also d in females at 2,000, 1,500 and 1,000 mg/kg bw. Female rats appeared to be more the acute dermal study with copper monochloride suggests that it has a potential to erformed according to OECD TG 422, copper monochloride was given orally nd for 39 - 51 days to females at concentrations of 0, 1.3, 5.0, 20, and 80 mg/kg for male and female rats, respectively. No deaths were observed in male rats. One he high dose group. Erythropoietic toxicity (anaemia) was seen in both sexes at the rplasia of the forestomach was increased in a dose-dependent manner in male and significant in males at doses of =20 mg/kg bw/day and in females at doses of =5 ed to be local, non-systemic effect on the forestomach which result from oral monochloride showed negative results in a bacterial reverse mutation test with 5, and TA 1537) with and without S9 mix at concentrations of up to 1,000 ug/plate. A ter lung (CHL) cells showed that copper monochloride induced structural and 100 ug/mL without S9 mix. In the presence of the metabolic activation system, rved at 50 and 70 ug/mL and significant increases of numerical aberrations were cyte micronucleus assay, all animals dosed (15 - 60 mg/kg bw) with copper and MNPCE frequencies compared to those of the negative control animals. n.	

Reproductive and developmental toxicity: In the combined repeated dose toxicity study with the reproduction/developmental toxicity screening test (OECD TG 422), copper monochloride was given orally (gavage) to Sprague-Dawley rats for 30 days to males and for 39-51

Chemwatch: **4797-03** Version No: **6.1**

	days to females at concentrations of 0, 1.3, 5.0, 20, and 80 mg/kg bw/day. The NOAEL c mg/kg bw/day for the parental animals. No treatment-related effects were observed on th assessed. For developmental toxicity the NOAEL was 20 mg/kg bw/day. Three of 120 pu appeared runted at the highest dose tested (80 mg/kg bw/day).	e reproductive organs and the fertility parameters	
MANGANESE	The material may be irritating to the eye, with prolonged contact causing inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.		
COBALT	Allergic reactions which develop in the respiratory passages as bronchial asthma or rhinoconjunctivitis, are mostly the result of reactions of the allergen with specific antibodies of the IgE class and belong in their reaction rates to the manifestation of the immediate type. In addition to the allergen-specific potential for causing respiratory sensitisation, the amount of the allergen, the exposure period and the genetically determined disposition of the exposed person are likely to be decisive. Factors which increase the sensitivity of the mucosa may play a role in predisposing a person to allergy. They may be genetically determined or acquired, for example, during infections or exposure to irritant substances. Immunologically the low molecular weight substances become complete allergens in the organism either by binding to peptides or proteins (haptens) or after metabolism (prohaptens). Particular attention is drawn to so-called atopic diathesis which is characterised by an increased susceptibility to allergic rhinitis, allergic bronchial asthma and atopic eczema (neurodermatitis) which is associated with increased IgE synthesis. Exogenous allergic alveolitis is induced essentially by allergen specific immune-complexes of the IgG type; cell-mediated reactions (T lymphocytes) may be involved. Such allergy is of the delayed type with onset up to four hours following exposure.		
BIOTIN	Extra-embryonic structures, foetotoxicity recorded.		
ZINC & BIOTIN	No significant acute toxicological data identified in literature search.		
ZINC & MANGANESE	The material may cause skin irritation after prolonged or repeated exposure and may produce a contact dermatitis (nonallergic). This form of dermatitis is often characterised by skin redness (erythema) and swelling epidermis. Histologically there may be intercellular oedema of the spongy layer (spongiosis) and intracellular oedema of the epidermis.		
COPPER & COBALT	The following information refers to contact allergens as a group and may not be specific Contact allergies quickly manifest themselves as contact eczema, more rarely as urticari contact eczema involves a cell-mediated (T lymphocytes) immune reaction of the delaye urticaria, involve antibody-mediated immune reactions. The significance of the contact al potential: the distribution of the substance and the opportunities for contact with it are eq which is widely distributed can be a more important allergen than one with stronger sens contact. From a clinical point of view, substances are noteworthy if they produce an allerge tested.	a or Quincke's oedema. The pathogenesis of d type. Other allergic skin reactions, e.g. contact lergen is not simply determined by its sensitisation ually important. A weakly sensitising substance itising potential with which few individuals come in	
Acute Toxicity	× Carcinogenicity	×	
Skin Irritation/Corrosion	Reproductivity	×	
Serious Eye Damage/Irritation	✓ STOT - Single Exposure	*	
Respiratory or Skin sensitisation	× STOT - Repeated Exposure	×	
	X Aspiration Hazard X		

SECTION 12 Ecological information

	Endpoint	Test Duration (hr)	Species	Value	Source
Ranvet's Salt Lick - lodised	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
	EC50	72h	Algae or other aquatic plants	0.13mg/l	2
iodine	EC50	48h	Crustacea	0.16mg/L	5
louine	LC50	96h	Fish	0.48- 0.58mg/l	4
	NOEC(ECx)	72h	Algae or other aquatic plants	0.025mg/l	2
	Endpoint	Test Duration (hr)	Species	Value	Source
	EC50	72h	Algae or other aquatic plants	0.005mg/l	4
zinc	EC50	48h	Crustacea	0.06- 0.08mg/L	4
	LC50	96h	Fish	0.011- 0.014mg/L	4
	EC50	96h	Algae or other aquatic plants	0.042mg/L	2
	NOEC(ECx)	672h	Fish	0.003mg/L	4
	Endpoint	Test Duration (hr)	Species	Value	Source
	EC50	72h	Algae or other aquatic plants	18mg/l	2
iron	EC50	48h	Crustacea	>100mg/l	2
iron	LC50	96h	Fish	0.005- 0.008mg/L	4
	NOEC(ECx)	48h	Algae or other aquatic plants	0.1-4mg/l	4
copper	Endpoint	Test Duration (hr)	Species	Value	Source
	EC50	72h	Algae or other aquatic plants	0.011- 0.017mg/L	4

	Endpoint	Test Duration (hr)	Species	Value	Source
	NOEC(ECx)	72h	Algae or other aquatic plants	0.01- 0.015mg/l	1
cobait	LC50 EC50	96h 96h	Fish Algae or other aquatic plants	0.8mg/l 23.8mg/l	2
cobalt	EC50	48h	Crustacea	0.241mg/L	2
	EC50	72h	Algae or other aquatic plants	0.029mg/L	2
	Endpoint	Test Duration (hr)	Species	Value	Sourc
	NOEC(ECx)	504h	Algae or other aquatic plants	0.05- 3.7mg/l	4
-	LC50	96h	Fish	>3.6mg/l	2
manganese	EC50	48h	Crustacea	>1.6mg/l	2
	EC50	72h	Algae or other aquatic plants	2.8mg/l	2
	Endpoint	Test Duration (hr)	Species	Value	Sourc
	NOEC(ECx)	48h	Fish	<0.001mg/L	4
	EC50	96h	Algae or other aquatic plants	0.03- 0.058mg/l	4
	LC50	96h	Fish	0.003mg/L	2
	EC50	48h	Crustacea	<0.001mg/L	4

(Japan) - Bioconcentration Data 8. Vendor Data

For Chloride: Although inorganic chloride ions are not normally considered toxic they can exist in effluents at acutely toxic levels. Incidental exposure to inorganic chloride may occur in occupational settings where chemicals management policies are improperly applied. The toxicity of chloride salts depends on the counter-ion (cation) present; that of chloride itself is unknown. Chloride toxicity has not been observed in humans except in the special case of impaired sodium chloride metabolism, e.g. in congestive heart failure. Healthy individuals can tolerate the intake of large quantities of chloride provided that there is an intake of fresh water following ingestion. Although excessive intake of drinking-water containing sodium chloride at concentrations above 2.5 g/L has been reported to produce hypertension, this effect is believed to be related to the sodium in concentration. Chloride concentrations in excess of about 250 mg/L can give rise to detectable taste in water. Consumers can, however, become accustomed to concentrations in excess of 250 mg/L. No health-based guideline value is proposed for chloride in drinking-water. Chloride is almost completely absorbed in normal individuals. In metal pipes, chloride reacts with metal ions to form soluble salts thus increasing levels of metals in drinking-water. Chloride enhances galvanic corrosion in lead pipes and can also increase the rate of pitting corrosion of metal pipes.

Aquatic Fate: Inorganic chlorine eventually finds its way into aquatic systems and becomes bio-available. Chloride increases the electrical conductivity of water and thus increases its corrosivity.

Ecotoxicity: When excessive inorganic chloride ions are introduced to aquatic environments, the resulting salinity can exceed the tolerances of most freshwater organisms. **DO NOT** discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
iodine	HIGH	HIGH
biotin	HIGH	HIGH

Bioaccumulative potential

Ingredient	Bioaccumulation
iodine	LOW (LogKOW = 1.8582)
biotin	LOW (LogKOW = 0.3855)

Mobility in soil

Ingredient	Mobility
iodine	LOW (Log KOC = 14.3)
biotin	LOW (Log KOC = 59.86)

SECTION 13 Disposal considerations

Waste treatment methods			
Product / Packaging disposal	 DO NOT allow wash water from cleaning or process equipment to enter drains. It may be necessary to collect all wash water for treatment before disposal. In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first. Where in doubt contact the responsible authority. Recycle wherever possible or consult manufacturer for recycling options. Consult State Land Waste Management Authority for disposal. Bury residue in an authorised landfill. Recycle containers if possible, or dispose of in an authorised landfill. 		

SECTION 14 Transport information

Labels Required

Marine Pollutant NO

> HAZCHEM Not Applicable

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
iodine	Not Available
zinc	Not Available
iron	Not Available
copper	Not Available
manganese	Not Available
cobalt	Not Available
biotin	Not Available

14.7.3. Transport in bulk in accordance with the IGC Code

Product name	Ship Type
iodine	Not Available
zinc	Not Available
iron	Not Available
copper	Not Available
manganese	Not Available
cobalt	Not Available
biotin	Not Available

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

iodine is found on the following regulatory lists		
Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals		
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 2		
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6		
Australian Inventory of Industrial Chemicals (AIIC)		
zinc is found on the following regulatory lists		
Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals		
Australian Inventory of Industrial Chemicals (AIIC)		
International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)		
iron is found on the following regulatory lists		
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 2		
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 4		
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5		
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6		
Australian Inventory of Industrial Chemicals (AIIC)		
International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)		
copper is found on the following regulatory lists		
Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals		
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 4		
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5		
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6		
Australian Inventory of Industrial Chemicals (AIIC)		
International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)		
manganese is found on the following regulatory lists		
Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals		
Australian Inventory of Industrial Chemicals (AIIC)		
International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)		
cobalt is found on the following regulatory lists		
Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals		
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 4		
Australian Inventory of Industrial Chemicals (AIIC)		
Chemical Footprint Project - Chemicals of High Concern List		

Chemical Footprint Project - Chemicals of High Concern List

FEI Equine Prohibited Substances List - Controlled Medication

FEI Equine Prohibited Substances List (EPSL)

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Group 2A: Probably carcinogenic to humans International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)

biotin is found on the following regulatory lists Australian Inventory of Industrial Chemicals (AIIC)

Additional Regulatory Information

Not Applicable

National Inventory Status

National Inventory	Status		
Australia - AIIC / Australia Non- Industrial Use	Yes		
Canada - DSL	Yes		
Canada - NDSL	No (iodine; zinc; iron; copper; manganese; cobalt; biotin)		
China - IECSC	Yes		
Europe - EINEC / ELINCS / NLP	Yes		
Japan - ENCS	No (iodine; zinc; iron; copper; manganese; cobalt)		
Korea - KECI	Yes		
New Zealand - NZIoC	Yes		
Philippines - PICCS	Yes		
USA - TSCA	Yes		
Taiwan - TCSI	Yes		
Mexico - INSQ	Yes		
Vietnam - NCI	Yes		
Russia - FBEPH	No (biotin)		
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.		

SECTION 16 Other information

Revision Date 12/23	23/2022
Initial Date 11/12/	12/2012

SDS Version Summary

Version	Date of Update	Sections Updated
5.1	11/01/2019	One-off system update. NOTE: This may or may not change the GHS classification
6.1	12/23/2022	Classification review due to GHS Revision change.

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

- PC TWA: Permissible Concentration-Time Weighted Average
- PC STEL: Permissible Concentration-Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- ACGIH: American Conference of Governmental Industrial Hygienists
- STEL: Short Term Exposure Limit
- TEEL: Temporary Emergency Exposure Limit。
- IDLH: Immediately Dangerous to Life or Health Concentrations
- ES: Exposure Standard
- OSF: Odour Safety Factor
- NOAEL: No Observed Adverse Effect Level
- LOAEL: Lowest Observed Adverse Effect Level
 TLV: Threshold Limit Value
- LOD: Limit Of Detection
- OTV: Odour Threshold Value
- BCF: BioConcentration Factors
- BEI: Biological Exposure Index
- DNEL: Derived No-Effect Level
- PNEC: Predicted no-effect concentration
- AIIC: Australian Inventory of Industrial Chemicals
- DSL: Domestic Substances List
 NDSL: Non-Domestic Substances List
- IECSC: Inventory of Existing Chemical Substance in China
- EINECS: European INventory of Existing Commercial chemical Substances
- ELINCS: European List of Notified Chemical Substances
- NLP: No-Longer Polymers
- ENCS: Existing and New Chemical Substances Inventory
- KECI: Korea Existing Chemicals Inventory
- NZIoC: New Zealand Inventory of Chemicals

- PICCS: Philippine Inventory of Chemicals and Chemical Substances
 TSCA: Toxic Substances Control Act
- TCSI: Taiwan Chemical Substance Inventory INSQ: Inventario Nacional de Sustancias Químicas
- NCI: National Chemical Inventory
 FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.